

# The Alamo Bugle

THE RESERVE TO THE PARTY OF THE

Texas Alamo Unit

VOLUME 46, ISSUE 3 RICH ESPINOSA - PRESIDENT MARCH 2024 MUFFIN CAMP - EDITOR



First Vice president AnnMarie Esparza and I decided to implement a "tech talk" during social hour on Friday evenings. As luck would have it, AnnMarie was contacted by Trailsmiths, a mobile RV repair company. One of their services is speaking at rallies about RV safety and routine maintenance. What a stroke of luck. The session sparked some great questions and conversation. One of those conversations led to this article.

Prior to a leaving the gate, pilots review their pre-flight checklist to make sure that all systems are in good working order before they take off. When you perform the same tasks over and over again, you can become complacent or simply distracted and forget something basic. There are a couple of lists I review prior to hitting the road with my Airstream. It's the same routine every time because I don't want to forget anything and I don't want the wheels to fall off. Don't laugh! That actually happened to me before I ever attended my first rally.

I made the list in Excel to ensure that I could make changes as necessary. I laminated the sheet at my local FedEx store so I can use a grease pencil to erase my check marks when completed. Then it's ready to use again when I hit the road for the next trip. I have attached a workable excel document so that you can modify it to fit your needs. (From the editor: You'll see photos of the spreadsheet on the following page. Please email Rich @ respoinc@gmail.com to receive the spreadsheet.)

I hope you find this helpful. See you down the road.



President Rich Espinosa

		1	2 3	4 5	6		De form						
PREPARING TO TRAVEL INTERIOR CHECK	LIST					10							
All keys accounted for						3/2							
All appliances off			$\perp$	$\perp$	Ш	1 1/2/	6- P/O						
Cabinets securely closed						· ·	(A) (S)	6					
Ceiling vents closed							10/m	0, Y	•_				
Closet doors securely closed							.7	ر' ا` عر	$Q_{\nu_{a}}$				
Countertops cleared		$\perp$	$\perp$	$\perp$	Ш		`		٠, ٥		١.		
Dining table cleared			$\perp$		$\square$			4/	) V.	<u>_</u>	ろ		
Orain holding tanks		$\vdash$	+	_	$\vdash$				`+	Ć_	.6	CZ,	,_
Drawers securely closed/ Tention rods			+	_	$\vdash$					-6)	.o.	1//	Śx
Entry door locked		$\vdash$	+	_	$\vdash$						%	2	٠,
Air conditioner off Lights Off		+	+	+	$\vdash$							ં બ્	2~
Maps/Route/ GPS Ready		+	+	_	$\vdash$								.Ος
Microwave door locked		+	+	+	$\vdash$								•
Pocket doors secured		+	++	+	$\vdash$								
Privacy curtains tied back			++	+	$\vdash$								
Refrigerator off or turned to battery power, door latched		+	+	+	$\vdash$								
Shelves secure	Wheel arms 1				-	1		-	_	-	-	_	_
Shower soap put away	Wheel covers stowed						-	0 0	_		$\vdash$	_	
Sink covers in place	ADDIVING TO C	AMPOUT	ne.										
Sink Drain plugs open	ARRIVING TO C	AMPSIT	£										
Gnome on board								1	1 :	2 3	4	5	6
Stove off	Avoid dumpsters							$\perp$		_			
Test water pump	Avoid dump Stations	1						_	-	-	_		
Toilet seat down	Avoid infringing foot pat							+	-	-	$\vdash$	$\vdash$	_
Wall hangings secure	Check out your neighbor	2						+	+	-	$\vdash$		
Water heater off outside switch	Avoid shared hookups Ensure room for awnings							+	+	+	$\vdash$	$\vdash$	
Water pump off	Choose shade in Summer							+	+	+	$\vdash$	+	
Windows closed and locked	Choose open area in win							+		+	$\vdash$		
Window Blinds down and secured	Consider wifi conection							$\top$					
	Avoid infringing streams							$\top$					
PREPARING TO TRAVEL EXTERIOR CHEC	A level site is better												
Awnings secured and locked	Avoid stagnant water-mo	squitoes											
Check Battery terminal condition													
Breakaway connection connected													
Cable TV cable stowed													
Cable TV cable stowed Compartment doors locked													
Cable TV cable stowed Compartment doors locked Doormat stowed	DISCONNECTIN		ΓREAN	i FRO	M VI	EHICLE			1 :	2 3	4	5	6
Cable TV cable stowed Compartment doors locked Doormat stowed Door locked	Leveling chocks inplace		ΓREAM	I FRO	M V	EHICLE			1 :	2 3	- 4	5	6
Cable TV cable stowed Compartment doors locked Doormat stowed	Leveling chocks inplace Lower rear levellers		ΓREAM	I FRO	M V	EHICLE			1 :	2 3	. 4	5	6
Cable TV cable stowed Compartment doors locked Doormat stowed Door locked	Leveling chocks inplace Lower rear levellers Disconnect light cord	RV wheels	ΓREAN	I FRO	M V	EHICLE		1	1 :	2 3	4	5	6
Cable TV cable stowed Compartment doors locked Doornat stowed Door locked Dump valve cap in place Electric cable and accessories stowed Check all fluids/ belts in tow vehicle	Leveling chocks inplace Lower rear levellers Disconnect light cord Disconnect breakaway w	RV wheels	ΓREAM	I FRO	M VI	EHICLE		1	1 :	2 3	4	5	6
Cable TV cable stowed Compartment doors locked Doornat stowed Door locked Dump valve cap in place Electric cable and accessories stowed Check all fluids/ belts in tow vehicle Freshwater tank partially filled	Leveling chocks inplace Lower rear levellers Disconnect light cord Disconnect breakaway w Remove hitch lock	RV wheels	ΓREAM	I FRO	M VI	EHICLE		1	1 ;	2 3	. 4	5	6
Cable TV cable stowed Compartment doors locked Doornat stowed Door locked Dump valve cap in place Electric cable and accessories stowed Check all fluids/ belts in tow vehicle	Leveling chocks inplace Lower rear levellers Disconnect light cord Disconnect breakaway w Remove hitch lock Disconnect hitch lock	RV wheels	ΓREAM	1 FRO	M VI	EHICLE		1	1 :	2 3	4	5	6
Cable TV cable stowed Compartment doors locked Doornat stowed Door locked Dump valve cap in place Electric cable and accessories stowed Check all fluids/ belts in tow vehicle Freshwater tank partially filled	Leveling chocks inplace Lower rear levellers Disconnect light cord Disconnect breakaway w Remove hitch lock Disconnect hitch lock Lower front leveling legs	RV wheels	FREAM	I FRO	M VI	EHICLE		1		2 3	4	5	6
Cable TV cable stowed Compartment doors locked Doornat stowed Door locked Dump valve cap in place Electric cable and accessories stowed Check all fluids/ belts in tow vehicle Freshwater tank partially filled PREPARING TO TRAVEL EXTERIOR CHEC	Leveling chocks inplace Lower rear levellers Disconnect light cord Disconnect breakaway w Remove hitch lock Disconnect hitch lock	RV wheels	FREAM	1 FRO	OM VI	EHICLE		1	1 :	2 3	. 4	5	6
Cable TV cable stowed Compartment doors locked Doornat stowed Door locked Dounp valve cap in place Electric cable and accessories stowed Check all fluids/ belts in tow vehicle Freshwater tank partially filled PREPARING TO TRAVEL EXTERIOR CHEC! Water Softener / water filter stowed	Leveling chocks inplace Lower rear levellers Disconnect light cord Disconnect breakaway w Remove hitch lock Disconnect hitch lock Lower front leveling legs Slowly drive vehicle for	RV wheels		I FRO	M VI	EHICLE		1		2 3			
Cable TV cable stowed Compartment doors locked Doornat stowed Door locked Dump valve cap in place Electric cable and accessories stowed Check all fluids/ belts in tow vehicle Freshwater tank partially filled PREPARING TO TRAVEL EXTERIOR CHEC Water Softener / water filter stowed Hitch pin lock secure Hood latched License plates secure	Leveling chocks inplace Lower rear levellers Disconnect light cord Disconnect breakaway w Remove hitch lock Disconnect hitch lock Lower front leveling legs	RV wheels		I FRO	OM VI	EHICLE							
Cable TV cable stowed Compartment doors locked Doornat stowed Door locked Dump valve cap in place Electric cable and accessories stowed Check all fluids/ belts in tow vehicle Freshwater tank partially filled PREPARING TO TRAVEL EXTERIOR CHEC Water Softener / water filter stowed Hitch pin lock secure Hood latched License plates secure Light connection tight	Leveling chocks inplace Lower rear levellers Disconnect light cord Disconnect breakaway w Remove hitch lock Disconnect hitch lock Lower front leveling legs Slowly drive vehicle for CONNECTING E	RV wheels		1 FRO	M VI	EHICLE							
Cable TV cable stowed Compartment doors locked Door locked Door locked Dump valve cap in place Electric cable and accessories stowed Check all fluids/ belts in tow vehicle Freshwater tank partially filled PREPARING TO TRAVEL EXTERIOR CHEC Water Softener / water filter stowed Hitch pin lock secure Hood latched License plates secure Light connection tight Lights tested	Leveling chocks inplace Lower rear levellers Disconnect light cord Disconnect breakaway w Remove hitch lock Disconnect hitch lock Lower front leveling legs Slowly drive vehicle for CONNECTING E Open Breaker box	RV wheels		1 FRO	M VI	EHICLE							
Cable TV cable stowed Compartment doors locked Doornat stowed Door locked Dourn valve cap in place Electric cable and accessories stowed Check all fluids/ belts in tow vehicle Freshwater tank partially filled PREPARING TO TRAVEL EXTERIOR CHEC Water Softener / water filter stowed Hitch pin lock secure Hood latched License plates secure Light connection tight Lights tested ARGOSY Name plate stowed	Leveling chocks inplace Lower rear levellers Disconnect light cord Disconnect breakaway w Remove hitch lock Disconnect hitch lock Lower front leveling legs Slowly drive vehicle for CONNECTING E Open Breaker box Turn off Breaker at post	RV wheels		I FRO	DM VI	EHICLE							
Cable TV cable stowed Compartment doors locked Door locked Door locked Dourn valve cap in place Electric cable and accessories stowed Check all fluids/ belts in tow vehicle Freshwater tank partially filled PREPARING TO TRAVEL EXTERIOR CHEC Water Softener / water filter stowed Hitch pin lock secure Hood latched License plates secure Light connection tight Lights tested ARGOSY Name plate stowed Propane tank off	Leveling chocks inplace Lower rear levellers Disconnect light cord Disconnect breakaway w Remove hitch lock Disconnect hitch lock Lower front leveling legs Slowly drive vehicle for  CONNECTING E Open Breaker at post Turn off Breaker at post Insert polarity tester Turn on Breaker at post Verify good power	RV wheels		I FRO	M VI	EHICLE							
Cable TV cable stowed Compartment doors locked Door locked Door locked Doup valve cap in place Electric cable and accessories stowed Check all fluids/ belts in tow vehicle Freshwater tank partially filled PREPARING TO TRAVEL EXTERIOR CHEC! Water Softener / water filter stowed Hitch pin lock secure Hood latched License plates secure Light connection tight Lights tested ARGOSY Name plate stowed Propane tank off Leveling jacks/blocks stowed	Leveling chocks inplace Lower rear levellers Disconnect light cord Disconnect breakaway w Remove hitch lock Disconnect hitch lock Lower front leveling legs Slowly drive vehicle for  CONNECTING E Open Breaker box Turn off Breaker at post Insert polarity tester Turn on Breaker at post Verify good power Turn off Breaker at post	RV wheels		I FRO	M VI	EHICLE							
Cable TV cable stowed Compartment doors locked Door locked Door locked Doup valve cap in place Electric cable and accessories stowed Check all fluids/ belts in tow vehicle Freshwater tank partially filled PREPARING TO TRAVEL EXTERIOR CHEC! Water Softener / water filter stowed Hitch pin lock secure Hood latched Liciense plates secure Light connection tight Lights tested ARGOSY Name plate stowed Propane tank off Leveling jacks/blocks stowed Rock Screen in place	Leveling chocks inplace Lower rear levellers Disconnect light cord Disconnect breakaway w Remove hitch lock Disconnect hitch lock Lower front leveling legs Slowly drive vehicle for  CONNECTING E Open Breaker box Turn off Breaker at post Insert polarity tester Turn on Breaker at post Verify good power Turn off Breaker at post Remove tester	RV wheels ire s ward LECTRI	C	1 FRO	DM VI	EHICLE							
Cable TV cable stowed Compartment doors locked Doormat stowed Door locked Dourn valve cap in place Electric cable and accessories stowed Check all fluids/ belts in tow vehicle Freshwater tank partially filled PREPARING TO TRAVEL EXTERIOR CHEC Water Softener / water filter stowed Hitch pin lock secure Hood latched License plates secure Light connection tight Lights tested ARGOSY Name plate stowed Propane tank off Leveling jacks/blocks stowed Rock Screen in place Roof clear	Leveling chocks inplace Lower rear levellers Disconnect light cord Disconnect breakaway w Remove hitch lock Disconnect hitch lock Lower front leveling legs Slowly drive vehicle for  CONNECTING E Open Breaker box Turn off Breaker at post Insert polarity tester Turn on Breaker at post Verify good power Turn off Breaker at post Remove tester Verify all electrical appli	RV wheels ire s ward  LECTRI ances are of	C	1 FRO	M VI	EHICLE							
Cable TV cable stowed Compartment doors locked Doornat stowed Door locked Dounp valve cap in place Electric cable and accessories stowed Check all fluids/ belts in tow vehicle Freshwater tank partially filled PREPARING TO TRAVEL EXTERIOR CHEC Water Softener / water filter stowed Hitch pin lock secure Hood latched License plates secure Light connection tight Lights tested ARGOSY Name plate stowed Propane tank off Leveling jacks/blocks stowed Rock Screen in place Roof clear Safety chains attached	Leveling chocks inplace Lower rear levellers Disconnect light cord Disconnect breakaway w Remove hitch lock Disconnect hitch lock Lower front leveling legs Slowly drive vehicle for  CONNECTING E Open Breaker box Turn off Breaker at post Insert polarity tester Turn on Breaker at post Verify good power Turn off Breaker at post Remove tester Verify all electrical appli Extend RV power cord to	RV wheels ire s ward  LECTRI ances are of o post	C	1 FRO	M VI	EHICLE							
Cable TV cable stowed Compartment doors locked Doornat stowed Door locked Doorn locked Dump valve cap in place Electric cable and accessories stowed Check all fluids/ belts in tow vehicle Freshwater tank partially filled PREPARING TO TRAVEL EXTERIOR CHEC Water Softener / water filter stowed Hitch pin lock secure Hood latched License plates secure Light connection tight Lights tested ARGOSY Name plate stowed Propane tank off Leveling jacks/blocks stowed Rock Screen in place Roof clear Safety chains attached Sewer hose and accessories stowed	Leveling chocks inplace Lower rear levellers Disconnect light cord Disconnect breakaway w Remove hitch lock Disconnect hitch lock Lower front leveling legs Slowly drive vehicle fore CONNECTING E Open Breaker box Turn off Breaker at post Insert polarity tester Turn on Breaker at post Verify good power Turn off Breaker at post Remove tester Verify all electrical appli Extend RV power cord to Plug in RV power cord to	RV wheels ire s ward  LECTRI ances are of o post	C	1 FRO	M VI	EHICLE							
Cable TV cable stowed Compartment doors locked Door locked Door locked Doump valve cap in place Electric cable and accessories stowed Check all fluids/ belts in tow vehicle Freshwater tank partially filled PREPARING TO TRAVEL EXTERIOR CHEC Water Softener / water filter stowed Hitch pin lock secure Hood latched License plates secure Light connection tight Lights tested ARGOSY Name plate stowed Propane tank off Leveling jacks/blocks stowed Rock Screen in place Roof clear Safety chains attached Sewer hose and accessories stowed Spare tire Checked 65 psi	Leveling chocks inplace Lower rear levellers Disconnect light cord Disconnect breakaway w Remove hitch lock Disconnect hitch lock Lower front leveling legs Slowly drive vehicle for  CONNECTING E Open Breaker at post Turn off Breaker at post Insert polarity tester Turn on Breaker at post Verify good power Turn off Breaker at post Remove tester Verify all electrical appli Extend RV power cord to Plug in RV power cord to	RV wheels ire s ward  LECTRI ances are of o post	C	1 FRO	M VI	EHICLE							
Cable TV cable stowed Compartment doors locked Door locked Door locked Domp valve cap in place Electric cable and accessories stowed Check all fluids/ belts in tow vehicle Freshwater tank partially filled PREPARING TO TRAVEL EXTERIOR CHEC Water Softener / water filter stowed Hitch pin lock secure Hood latched License plates secure Light connection tight Lights tested ARGOSY Name plate stowed Propane tank off Leveling jacks/blocks stowed Rock Screen in place Roof clear Safety chains attached Sewer hose and accessories stowed Spare tire Checked 65 psi Step raised	Leveling chocks inplace Lower rear levellers Disconnect light cord Disconnect breakaway w Remove hitch lock Disconnect hitch lock Lower front leveling legs Slowly drive vehicle for  CONNECTING E Open Breaker box Turn off Breaker at post Insert polarity tester Turn on Breaker at post Verify good power Turn off Breaker at post Remove tester Verify all electrical appli Extend RV power cord to Turn Breaker Close electrical box	RV wheels ire s ward  LECTRI  ances are of p post p post	C	1 FRO	M VI	EHICLE							
Cable TV cable stowed Compartment doors locked Door lo	Leveling chocks inplace Lower rear levellers Disconnect light cord Disconnect breakaway w Remove hitch lock Disconnect hitch lock Lower front leveling legs Slowly drive vehicle for  CONNECTING E Open Breaker at post Turn off Breaker at post Insert polarity tester Turn on Breaker at post Verify good power Turn off Breaker at post Remove tester Verify all electrical appli Extend RV power cord to Plug in RV power cord to	RV wheels ire s ward  LECTRI  ances are of p post p post	C	1 FRO	OM VI	EHICLE							
Cable TV cable stowed Compartment doors locked Door locked Door locked Door locked Domp valve cap in place Electric cable and accessories stowed Check all fluids/ belts in tow vehicle Freshwater tank partially filled PREPARING TO TRAVEL EXTERIOR CHEC Water Softener / water filter stowed Hitch pin lock secure Hood latched License plates secure Light connection tight Lights tested ARGOSY Name plate stowed Propane tank off Leveling jacks/blocks stowed Rock Sereen in place Roof clear Safety chains attached Sewer hose and accessories stowed Spare tire Checked 65 psi Step raised Lires inspected for uneven wear Lire pressure checked 65 psi	Leveling chocks inplace Lower rear levellers Disconnect light cord Disconnect breakaway w Remove hitch lock Disconnect hitch lock Lower front leveling legs Slowly drive vehicle for  CONNECTING E Open Breaker box Turn off Breaker at post Insert polarity tester Turn on Breaker at post Verify good power Turn off Breaker at post Remove tester Verify all electrical appli Extend RV power cord to Plug in RV power cord to Turn Breaker Close electrical box verify power source insice	RV wheels ire s ward  LECTRI  ances are of post o post	C							22 3	4	5	6
Cable TV cable stowed Compartment doors locked Doornat stowed Doorlocked Dump valve cap in place Electric cable and accessories stowed Check all fluids/ belts in tow vehicle Freshwater tank partially filled PREPARING TO TRAVEL EXTERIOR CHEC Water Softener / water filter stowed Hitch pin lock secure Hood latched License plates secure Light connection tight Lights tested ARGOSY Name plate stowed Propane tank off Leveling jacks/blocks stowed Rock Screen in place Roof clear Safety chains attached Sewer hose and accessories stowed Fires inspected for uneven wear Fire pressure checked 65 psi Wheel lugs torqued to 100 ftlbs	Leveling chocks inplace Lower rear levellers Disconnect light cord Disconnect breakaway w Remove hitch lock Disconnect hitch lock Lower front leveling legs Slowly drive vehicle for  CONNECTING E Open Breaker box Turn off Breaker at post Insert polarity tester Turn on Breaker at post Verify good power Turn off Breaker at post Remove tester Verify all electrical appli Extend RV power cord to Plug in RV power cord to Turn Breaker Close electrical box verify power source insic	RV wheels ire s ward  LECTRI ances are of post o post de RV	C								4	5	6
Cable TV cable stowed Compartment doors locked Doornat stowed Doornat stowed Doornat stowed Doornat stowed Doornat stowed Doornat stowed Check all fluids/ belts in tow vehicle Check and in the vehicle Check accure Chood latched Chicense plates secure Chood latched Checked of Sy showed Characteristic stowed Chara	Leveling chocks inplace Lower rear levellers Disconnect light cord Disconnect breakaway w Remove hitch lock Disconnect hitch lock Lower front leveling legs Slowly drive vehicle for  CONNECTING E Open Breaker box Turn off Breaker at post Insert polarity tester Turn on Breaker at post Verify good power Turn off Breaker at post Remove tester Verify all electrical appli Extend RV power cord te Plug in RV power cord to Turn Breaker Close electrical box verify power source insice CONNECTING W Locate water source on s	RV wheels  ire  s ward  LECTRI  ances are of post post post de RV	C THE	AIRS						22 3	4	5	6
Cable TV cable stowed Compartment doors locked Doorn locked Doorn locked Doorn locked Dump valve cap in place Electric cable and accessories stowed Check all fluids/ belts in tow vehicle Freshwater tank partially filled PREPARING TO TRAVEL EXTERIOR CHEC Water Softener / water filter stowed Hitch pin lock secure Hood latched License plates secure Light connection tight Lights tested ARGOSY Name plate stowed Propane tank off Leveling jacks/blocks stowed Rock Screen in place Roof clear Safety chains attached Sewer hose and accessories stowed Spare tire Checked 65 psi Step raised Fires inspected for uneven wear Fire pressure checked 65 psi Wheel lugs torqued to 100 ftlbs Frailer breaks tested and adjusted Fow vehicle mirrors adjusted	Leveling chocks inplace Lower rear levellers Disconnect light cord Disconnect breakaway w Remove hitch lock Disconnect hitch lock Lower front leveling legs Slowly drive vehicle for  CONNECTING E Open Breaker box Turn off Breaker at post Insert polarity tester Turn on Breaker at post Verify good power Turn off Breaker at post Remove tester Verify all electrical applic Extend RV power cord to Plug in RV power cord to Turn Breaker Close electrical box verify power source insice  CONNECTING W Locate water source on s Connect water pressure r	RV wheels  ire  s ward  LECTRI  ances are of o post o post te RV  VATER T ite egulator to v	C THE	AIRS						22 3	4	5	6
Cable TV cable stowed Compartment doors locked Doorn lock secure Doorn lock secure Doorn locked	Leveling chocks inplace Lower rear levellers Disconnect light cord Disconnect breakaway w Remove hitch lock Disconnect hitch lock Lower front leveling legs Slowly drive vehicle for  CONNECTING E Open Breaker at post Turn off Breaker at post Insert polarity tester Turn off Breaker at post Verify good power Turn off Breaker at post Remove tester Verify all electrical appli Extend RV power cord to Plug in RV power cord to Turn Breaker Close electrical box verify power source insice  CONNECTING W Locate water source on s Connect water pressure r Insure water pressure set	RV wheels ire s ward  LECTRI  ances are of post post post te RV  VATER T ite egulator to v at 60 psi	TO THE	AIRS						22 3	4	5	6
Cable TV cable stowed Compartment doors locked Door locked Door locked Dourny valve cap in place Electric cable and accessories stowed Check all fluids/ belts in tow vehicle Freshwater tank partially filled PREPARING TO TRAVEL EXTERIOR CHEC Water Softener / water filter stowed Hitch pin lock secure Hood latched License plates secure Light connection tight Lights tested ARGOSY Name plate stowed Propane tank off Leveling jacks/blocks stowed Rock Screen in place Roof clear Safety chains attached Sewer hose and accessories stowed Fire pressure checked 65 psi Step raised Fire pressure checked 65 psi Wheel lugs torqued to 100 ftlbs Frailer breaks tested and adjusted Fow vehicle mirrors adjusted Fire pressure valve caps tightened Vents closed	Leveling chocks inplace Lower rear levellers Disconnect light cord Disconnect breakaway w Remove hitch lock Disconnect hitch lock Lower front leveling legs Slowly drive vehicle for  CONNECTING E Open Breaker box Turn off Breaker at post Insert polarity tester Turn on Breaker at post Verify good power Turn off Breaker at post Verify gloed power Turn off Breaker at post Remove tester Verify all electrical appliceted RV power cord to Plug in RV power cord to Turn Breaker Close electrical box verify power source insice CONNECTING W Locate water source on se Connect water pressure r Insure water pressure set Connect food grade water	ances are of post post le RV  VATER T itte egulator to va to 60 post post le RV	C THE water sour	AIRS	STRE	CAM				22 3	4	5	6
Cable TV cable stowed Compartment doors locked Door locked Door locked Dump valve cap in place Electric cable and accessories stowed Check all fluids/ belts in tow vehicle Freshwater tank partially filled PREPARING TO TRAVEL EXTERIOR CHEC Water Softener / water filter stowed Hitch pin lock secure Hood latched License plates secure Light connection tight Lights tested ARGOSY Name plate stowed Propane tank off Leveling jacks/blocks stowed Roos Screen in place Roof clear Safety chains attached Sewer hose and accessories stowed For pare tire Checked 65 psi Step raised Fires inspected for uneven wear Fire pressure checked 65 psi Wheel lugs torqued to 100 ftlbs Frailer breaks tested and adjusted Fow vehicle mirrors adjusted Fire pressure valve caps tightened Vents closed Water heater outside switch off	Leveling chocks inplace Lower rear levellers Disconnect light cord Disconnect breakaway w Remove hitch lock Disconnect hitch lock Lower front leveling legs Slowly drive vehicle for  CONNECTING E Open Breaker at post Turn off Breaker at post Insert polarity tester Turn off Breaker at post Verify good power Turn off Breaker at post Remove tester Verify all electrical appli Extend RV power cord to Plug in RV power cord to Turn Breaker Close electrical box verify power source insice  CONNECTING W Locate water source on s Connect water pressure r Insure water pressure set	RV wheels ire s ward  LECTRI  ances are of o post o post de RV  VATER T ite	C THE water sour	¿ AIRS	STRE	CAM				22 3	4	5	6
Cable TV cable stowed Compartment doors locked Door locked Door locked Dourny valve cap in place Electric cable and accessories stowed Check all fluids/ belts in tow vehicle Freshwater tank partially filled PREPARING TO TRAVEL EXTERIOR CHEC Water Softener / water filter stowed Hitch pin lock secure Hood latched License plates secure Light connection tight Lights tested ARGOSY Name plate stowed Propane tank off Leveling jacks/blocks stowed Rock Screen in place Roof clear Safety chains attached Sewer hose and accessories stowed Fire pressure checked 65 psi Step raised Fire pressure checked 65 psi Wheel lugs torqued to 100 ftlbs Frailer breaks tested and adjusted Fow vehicle mirrors adjusted Fire pressure valve caps tightened Vents closed	Leveling chocks inplace Lower rear levellers Disconnect light cord Disconnect breakaway w Remove hitch lock Disconnect hitch lock Lower front leveling legs Slowly drive vehicle for  CONNECTING E Open Breaker box Turn off Breaker at post Insert polarity tester Turn on Breaker at post Verify good power Turn off Breaker at post Verify all electrical appli Extend RV power cord to Turn Breaker Close electrical box verify power source insic  CONNECTING W Locate water pressure set Connect water pressure set Connect food grade wate Connect other end of foo	ances are of post opost de RV  VATER Tite egulator to va at 60 psi ir hose to prod grade wat d grade wat d grade wat d grade wat	C THE water sourcessure reger hose to er hose to	AIRS  AIRS  Portable  filter	STRE	CAM				22 3	4	5	6
Cable TV cable stowed Compartment doors locked Door locked Door locked Dump valve cap in place Electric cable and accessories stowed Check all fluids/ belts in tow vehicle Freshwater tank partially filled PREPARING TO TRAVEL EXTERIOR CHEC Water Softener / water filter stowed Hitch pin lock secure Hood latched License plates secure Light connection tight Lights tested ARGOSY Name plate stowed Propane tank off Leveling jacks/blocks stowed Roos Screen in place Roof clear Safety chains attached Sewer hose and accessories stowed For pare tire Checked 65 psi Step raised Fires inspected for uneven wear Fire pressure checked 65 psi Wheel lugs torqued to 100 ftlbs Frailer breaks tested and adjusted Fow vehicle mirrors adjusted Fire pressure valve caps tightened Vents closed Water heater outside switch off	Leveling chocks inplace Lower rear levellers Disconnect light cord Disconnect breakaway w Remove hitch lock Disconnect hitch lock Lower front leveling legs Slowly drive vehicle for  CONNECTING E Open Breaker box Turn off Breaker at post Insert polarity tester Turn on Breaker at post Verify good power Turn off Breaker at post Remove tester Verify all electrical appli Extend RV power cord to Plug in RV power cord to Turn Breaker Close electrical box verify power source insic  CONNECTING W Locate water source on s Connect water pressure r Insure water pressure set Connect food grade wate Connect other end of foo	ances are of post post lite egulator to vat 60 psi de grade wat d g g grade wat d g g g g g g g g g g g g g g g g g g	C THE water sourcessure reger hose to er hose to	AIRS  AIRS  Portable  filter	STRE	CAM				22 3	4	5	6
Cable TV cable stowed Compartment doors locked Door locked Door locked Dump valve cap in place Electric cable and accessories stowed Check all fluids/ belts in tow vehicle Freshwater tank partially filled PREPARING TO TRAVEL EXTERIOR CHEC Water Softener / water filter stowed Hitch pin lock secure Hood latched License plates secure Light connection tight Lights tested ARGOSY Name plate stowed Propane tank off Leveling jacks/blocks stowed Roos Screen in place Roof clear Safety chains attached Sewer hose and accessories stowed For pare tire Checked 65 psi Step raised Fires inspected for uneven wear Fire pressure checked 65 psi Wheel lugs torqued to 100 ftlbs Frailer breaks tested and adjusted Fow vehicle mirrors adjusted Fire pressure valve caps tightened Vents closed Water heater outside switch off	Leveling chocks inplace Lower rear levellers Disconnect light cord Disconnect breakaway w Remove hitch lock Disconnect hitch lock Lower front leveling legs Slowly drive vehicle for  CONNECTING E Open Breaker at post Insert polarity tester Turn off Breaker at post Insert polarity tester Turn on Breaker at post Remove tester Verify good power Turn off Breaker at post Remove tester Verify all electrical appli Extend RV power cord to Plug in RV power cord to Plug in RV power cord to Connect water pressure set Locate water source on s Connect water pressure or Insure water pressure or Insure water pressure or Connect other end of foo Connect other end of foo Connect other end of foo	ances are of post post lite egulator to vat 60 psi de grade wat d g g grade wat d g g g g g g g g g g g g g g g g g g	C THE water sourcessure reger hose to er hose to	AIRS  AIRS  Portable  filter	STRE	CAM				22 3	4	5	6

Rally Schedule. 2023-2024

**September 22-24** Roadrunner RV Park 501 S Hwy 281, Johnson City 2023 830-255-7650

Oct 27-29, 2023 Mystic Quarry 13190 FM 306 Canyon Lake, TX 78133 POC Monica 830-964-3330

Nov 23-26, 2033 Oakwood Resort FM 2093 Fr Pricksburg, TX 78624 POC: Malinda 830-997-9817

Dec 2023 N RALLY

**Jan 26-28, 2024** Longhorn RV Resort 12921 Caming Real Niederwald, TX 78640 512-398-3677

**Feb 23-25, 2024** Parkview Riverside 2561 Co Rd 350, Concan, TX 78838 830-232-4006

Mar 22-24, 2024

Miller Creek RV Park 5618 U.S. 281 South Johnson City, TX 78636 (830) 251-6673

**April 19-21, 2024** Patriot RV Park 5784 US-90 ALT East Gonzales, TX 78629 1 (830) 468-5709

Dont forget to register online so we know you are

May 2-5, 2024 Region 9 Rally

Skyline Ranch RV Park 2231 Hwy. 16N Bandera, TX 78003 830-796-4958

**May 17-19, 2024** Lagoons RV Resort 600 Enterprise Blvd Rockport, TX 78382 361-729-7834

**Sept 27-29, 2024** Lake Buchanan 1420 FM690, Burnet, TX 78611 512-887-7410

### **Thursday Early Arrivals:**

4 pm Social Hour 6 pm Potluck Dinner

#### **Friday:**

4 pm Social Hour5 pm Opening Ceremonies6 pm Dinner

#### Saturday

8:30 am Breakfast 4:30 pm Pay Rally Fees 5 pm Social Hour 6 pm Dinner 7:30 pm Games

#### Sunday

8:30 am Breakfast 9:00 am Devotional





## **MARCH**

Birthdays:

02 Jimmy Cook 09 Stephanie McConnell 12 Barbara Brennecke 13 Kevin Adams

## **MARCH**

None this month

Have we missed your birthday or anniversary? email: muffincamp@gmail.com and let her know



Eldon Sheffer recently received his 500 volunteer hour service pin at the Texas Master Naturalist Chapter meeting.



Check out Freecampsites.net to find low cost or free camping.

Q: What can you do for a hurt flamingo?

A: Give it medical tweetment




#### FILLING YOUR AIRSTREAM'S FRESH WATER TANK

One of the challenges while boondocking is how to fill your Airstream's fresh water tank. Assuming you have a source for fresh water, your first challenge is how to get the water from your remote supply to your Airstream. Your second challenge is how to actually get the fresh water from your container into your Airstream's fresh water tank without spilling half of it.



If you are like me, you probably have tried buckets and funnels with limited success. I have found an unbeatable combination that is easy on your back and you will not waste a drop.

Meet the Scepter 5 Gallon True Military Food Grade Water Container and the Harbor Freight Battery Operated Liquid Transfer Pump.





Getting fresh to my Airstream was only half the problem. I used to lift these 50# cans and pour the water into a long spout funnel. It was not only back breaking but ended up spilling much of my precious water. I have tried numerous syphons, drill attachments, and aquarium pumps. None of those worked very well or lasted more than a couple of refills. The Harbor Freight Battery Operated Liquid Transfer Pump is an inexpensive solution. Mine has lasted over two years. The pump takes two "D" cell batteries. It takes about three minutes to empty one 5 gallon can. The pumps sell for around \$13 but are frequently reduced on the Harbor Freight's website. I bought several thinking they would not last but am happy to report that my original pump just keeps going and is easy on batteries as well. The pump fits perfectly inside the Scepter container and the tube slides securely inside your Fresh Water Fill opening. The transfer pumps can also be used to transfer gasoline and other liquids. I painted one blue for gasoline transfer. Check out the enclosed photos to see how easy this system is to use. SAFE TRAVELS,





## **Notes from Nancy**

Updates Spring 2024 Nancy Fitzgerald, Region 9 President BRN 223

Several updates for you from the most recent IBT meeting February 22, 2024:

- This August, Airstream Club International (ACI) Hosts will be added to the Harvest Hosts map, giving Courtesy Parking Club members more robust functionality, including detailed Host profiles, contactless booking, photos, reviews, route planning tools, and more. If a Courtesy Parking Club Member is also a Member of Harvest Hosts, they will get their Harvest Hosts locations and Courtesy Parking Club locations all together on one map using one convenient log-in. The Courtesy Parking locations will be free. Harvest Host locations will still require a subscription.
- Many of you know that January 14, 2024: Per Hamnqvist resigned from the IBT, effective immediately. Resignation was from the Treasurer position and Executive Council. Kendall Felder was moved onto the vacated Executive Council position because he received the next highest votes in the previous EC elections. By emergency resolution, theIBT voted by two-thirds vote to elect a non-officer individual from the current Finance Committee to serve as Financial Director until August of 2025.
- Going forward, every two years, near the midterm of the EC, the International Board of Trustees (IBT) shall reaffirm the tenure of the Finance Director with a simple majority vote of confidence. With the recent growth and complexity of WBCCI's financial state and the importance of ensuring long-term financial stability, transparent reporting, regulatory compliance, risk management, budgetary control, operational efficiency, and strategic decision-making, having someone with an extensive financial background for this position is crucial. The current election process for Executive Officers may not always result in the most capable person being elected. By making the Finance Director (formerly the International Treasurer) elected by the IBT, we can ensure that the most qualified person fills the role.
- The IBT voted to clarify the structure of a Region Board. The motion eliminated the ambiguity about the responsibilities of the Region President. It also defined the responsibilities of the Region Treasurer and Secretary and provided a mechanism for the succession or removal with cause of an elected Region Officer. The impact of this is to address a recommendation of Roberts Rules that any organization operating under a Constitution and Bylaws with elected officers provide a method for the removal of officers.

I will head to Jackson Center for a March 12 -14 Strategy Session with the full IBT. Our focus is on membership, financial and budget deep dives, and identification of new opportunities and initiatives.

Do not forget to sign up for the Region 9 Bandera Bound Rally, May 1–5 at Skyline Ranch and Riverwalk Resort. Link: https://form.jotform.com/240463319594158 We have forty sites reserved for us at Riverwalk, and we will offer several activities at the satellite site. This is the year to elect our Region 9 Officers for 2024–2026. Tracy Elkins has been nominated as President Elect for Region 9 and will assume leadership August 1, 2024. Anna Brandon is nominated for 1st VP and Tim Ebbers is nominated for 2nd VP. Let your club president know your support and these officers will be installed at the Region 9 Rally in Bandera. You can read their bios on the Region 9 webpage or on the Region 9 Facebook page.

And finally, have you heard about the two fabulous rallies planned by NTxAC and HOTC at North Texas Airstream Park?

Stitchin' and Fishin' April 19th – 23rd

Be part of the first ever Airstream Rally in Region 9 gathering quilters and fisherpersons (of all levels)! Quilters will be able to visit a couple of the stores participating in the Shop Hop, as well as be able to set up their stations in a devoted rally space. The "fisherpersons" among you will enjoy a fully guided fishing trip on Lake Whitney on Monday, April 22nd. The trip will include all rods, tackle, fully rigged striper boats and guides. Participants will only need to bring snacks, drinks and of course a Texas Fishing License. Our catch will becleaned and packaged for us.

Region 9 Ham Rally May 9th - 12th

Join us for an Amateur Radio (Ham) Rally at NTAC We will have a crash course targeted to help you pass your exam, a swap meet, tours, and lots of fun!

Call for Registrations:
North Texas Airstream Community
200 Walnut Hill Avenue #1
Hillsboro, TX 76645
254.582.5566



## February Rally February 23-25, 2024 Concan, TX

## **February Rally**Gracie Waggener

Pot luck Mexican Dinner and tequila bar followed by RV troubleshooting by Howard and Tiffany Smith. Lots of good info and tips.









Relaxing time, taking in nature!

